







Application for the Electromagnet: 10001 Series 10005 Series (Double)



Suitable for use with frameless glass doors and the glass wall, After the door installs with the U-bracket, the door will become a single swing (inward opening) door. The glass thickness is 14 mm maximum The diagram shows the LZ-300 bracket installation instructions.



## GIANNI INDUSTRIES, INC.


No. 13, Zhong Sing Road, Tu-Cheng Industrial Zone, Tu-Cheng City, Taipei, Taiwan 23678 Tel: 886-2 2267 7986 / Fax: 886-2 2267 9876 E-Mail: info@gianni.com.tw Website: gianni.tw Copyright 2008 Gianni industries, inc. All rights reserved. DM-CA-UBK-300 Ver. C Published on 2008.06.09



The products are manufactured under an ISO 9001 & QC 080000 Certified Quality Management Program environment back its product quality, performance and commitment to customer satisfaction.







## GIANNI INDUSTRIES, INC.

No. 13, Zhong Sing Road, Tu-Cheng Industrial Zone, Tu-Cheng City, Taipei, Taiwan 23678 Tel: 886-2 2267 7986 / Fax: 886-2 2267 9876 E-Mail: info@gianni.com.tw Website: gianni.tw Copyright 2008 Gianni industries, inc. All rights reserved. DM-CA-UBK-300 Ver. C Published on 2008.06.09




The products are manufactured under an ISO 9001 & QC 080000 Certified Quality Management Program environment back its product quality, performance and commitment to customer satisfaction.








Application for the Electromagnet: 10001 Series 10005 Series (Double)



Suitable for use with frameless glass doors .After the door installs with the U-bracket, t he door will become a single swing (inward opening) The diagram shows the **LZ-300** bracket installation instructions.



## GIANNI INDUSTRIES, INC.

No. 13, Zhong Sing Road, Tu-Cheng Industrial Zone, Tu-Cheng City, Taipei, Taiwan 23678 Tel: 886-2 2267 7986 / Fax: 886-2 2267 9876 E-Mail: info@gianni.com.tw Website: gianni.tw Copyright 2008 Gianni industries, inc. All rights reserved. DM-CA-UBK-300 Ver. C Published on 2008.06.09



The products are manufactured under an ISO 9001 & QC 080000 Certified Quality Management Program environment back its product quality, performance and commitment to customer satisfaction.